



## Laboratory Report

Lakeland Paints	100725
Unit 19 Heysham Business Park	
Middleton Road	
Heysham Lancashire, LA3 3PP	
Atten: Ian West	

PROJECT: 11 Paint Samples  
WORK ORDER: **1802-04329**  
DATE RECEIVED: February 27, 2018  
DATE REPORTED: March 14, 2018  
SAMPLER: Ian West

Enclosed please find the results of the analyses performed for the samples referenced on the attached chain of custody. All required method quality control elements including instrument calibration were performed in accordance with method requirements and determined to be acceptable unless otherwise noted.

The column labeled Lab/Tech in the accompanying report denotes the laboratory facility where the testing was performed and the technician who conducted the assay. A "W" designates the Williston, VT lab under NELAC certification ELAP 11263; "R" designates the Lebanon, NH facility under certification NH 2037 and "N" the Plattsburgh, NY lab under certification ELAP 11892. "Sub" indicates the testing was performed by a subcontracted laboratory. The accreditation status of the subcontracted lab is referenced in the corresponding NELAC and Qual fields.

The NELAC column also denotes the accreditation status of each laboratory for each reported parameter. "A" indicates the referenced laboratory is NELAC accredited for the parameter reported. "N" indicates the laboratory is not accredited. "U" indicates that NELAC does not offer accreditation for that parameter in that specific matrix. Test results denoted with an "A" meet all National Environmental Laboratory Accreditation Program requirements except where denoted by pertinent data qualifiers. Test results are representative of the samples as they were received at the laboratory

Endyne, Inc. warrants, to the best of its knowledge and belief, the accuracy of the analytical test results contained in this report, but makes no other warranty, expressed or implied, especially no warranties of merchantability or fitness for a particular purpose.

Reviewed by:

Harry B. Locker, Ph.D.  
Laboratory Director

[www.endynelabs.com](http://www.endynelabs.com)



160 James Brown Dr., Williston, VT 05495  
Ph 802-879-4333 Fax 802-879-7103

56 Etna Road, Lebanon, NH 03766  
Ph 603-678-4891 Fax 603-678-4893



CLIENT: Lakeland Paints  
 PROJECT: 11 Paint Samples  
 REPORT DATE: 3/14/2018

WORK ORDER: 1802-04329  
 DATE RECEIVED: 02/27/2018

TEST METHOD: EPA 8260C

001 Site: Matt Wh Date Sampled: 2/23/18 Analysis Date: 3/9/18 W EEP

Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Prep EPA 5035A	Complete		A		Dichlorodifluoromethane	< 26.5	mg/Kg	N	
Chloromethane	< 26.5	mg/Kg	A		Vinyl chloride	< 10.6	mg/Kg	A	
Chloroethane	< 26.5	mg/Kg	A		Trichlorofluoromethane	< 10.6	mg/Kg	N	
Diethyl ether	< 26.5	mg/Kg	N		1,1-Dichloroethene	< 5.3	mg/Kg	A	
Acetone	< 53.0	mg/Kg	N		Carbon disulfide	< 26.5	mg/Kg	N	
Methylene chloride	< 26.5	mg/Kg	A		t-Butanol	< 133	mg/Kg	N	
Methyl-t-butyl ether (MTBE)	< 10.6	mg/Kg	A		trans-1,2-Dichloroethene	< 5.3	mg/Kg	A	
Di-isopropyl ether (DIPE)	< 10.6	mg/Kg	U		1,1-Dichloroethane	< 5.3	mg/Kg	A	
Ethyl-t-butyl ether (ETBE)	< 10.6	mg/Kg	U		2-Butanone	< 53.0	mg/Kg	A	
2,2-Dichloropropane	< 5.3	mg/Kg	N		cis-1,2-Dichloroethene	< 5.3	mg/Kg	N	
Bromochloromethane	< 10.6	mg/Kg	N		Chloroform	< 5.3	mg/Kg	A	
Tetrahydrofuran	< 53.0	mg/Kg	U		1,1,1-Trichloroethane	< 5.3	mg/Kg	A	
Carbon tetrachloride	< 5.3	mg/Kg	A		1,1-Dichloropropene	< 5.3	mg/Kg	N	
Benzene	< 5.3	mg/Kg	A		t-Amylmethyl ether (TAME)	< 10.6	mg/Kg	U	
1,2-Dichloroethane	< 5.3	mg/Kg	A		Trichloroethene	< 5.3	mg/Kg	A	
1,2-Dichloropropane	< 10.6	mg/Kg	A		Dibromomethane	< 10.6	mg/Kg	N	
Bromodichloromethane	< 5.3	mg/Kg	A		cis-1,3-Dichloropropene	< 5.3	mg/Kg	A	
4-Methyl-2-pentanone (MIBK)	< 53.0	mg/Kg	N		Toluene	< 5.3	mg/Kg	A	
trans-1,3-Dichloropropene	< 5.3	mg/Kg	A		1,1,2-Trichloroethane	< 5.3	mg/Kg	A	
Tetrachloroethene	< 5.3	mg/Kg	A		1,3-Dichloropropane	< 5.3	mg/Kg	N	
2-Hexanone	< 53.0	mg/Kg	N		Dibromochloromethane	< 5.3	mg/Kg	A	
1,2-Dibromoethane	< 10.6	mg/Kg	N		Chlorobenzene	< 5.3	mg/Kg	A	
Ethylbenzene	< 5.3	mg/Kg	A		1,1,1,2-Tetrachloroethane	< 10.6	mg/Kg	N	
Xylenes, Total	< 10.6	mg/Kg	A		Styrene	< 5.3	mg/Kg	N	
Bromoform	< 10.6	mg/Kg	A		Isopropylbenzene	< 5.3	mg/Kg	A	
1,1,2,2-Tetrachloroethane	< 10.6	mg/Kg	A		Bromobenzene	< 5.3	mg/Kg	N	
n-Propylbenzene	< 10.6	mg/Kg	A		1,2,3-Trichloropropane	< 10.6	mg/Kg	N	
2-Chlorotoluene	< 10.6	mg/Kg	N		1,3,5-Trimethylbenzene	< 10.6	mg/Kg	A	
4-Chlorotoluene	< 10.6	mg/Kg	N		t-Butylbenzene	< 10.6	mg/Kg	A	
1,2,4-Trimethylbenzene	< 10.6	mg/Kg	A		s-Butylbenzene	< 10.6	mg/Kg	A	
4-Isopropyltoluene	< 10.6	mg/Kg	A		1,3-Dichlorobenzene	< 10.6	mg/Kg	A	
1,4-Dichlorobenzene	< 10.6	mg/Kg	A		1,2,3-Trimethylbenzene	< 10.6	mg/Kg	N	
n-Butylbenzene	< 10.6	mg/Kg	A		1,2-Dichlorobenzene	< 10.6	mg/Kg	A	
1,2-Dibromo-3-Chloropropane	< 10.6	mg/Kg	N		1,2,4-Trichlorobenzene	< 10.6	mg/Kg	N	
1,3,5-Trichlorobenzene	< 10.6	mg/Kg	N		Hexachlorobutadiene	< 10.6	mg/Kg	N	
Naphthalene	< 10.6	mg/Kg	A		1,2,3-Trichlorobenzene	< 10.6	mg/Kg	N	
Surr. 1 (Dibromofluoromethane)	98	%	U		Surr. 2 (Toluene d8)	100	%	U	
Surr. 3 (4-Bromofluorobenzene)	100	%	U		Unidentified Peaks	0		U	

CLIENT: Lakeland Paints  
 PROJECT: 11 Paint Samples  
 REPORT DATE: 3/14/2018

WORK ORDER: 1802-04329  
 DATE RECEIVED: 02/27/2018

TEST METHOD: EPA 8260C

002 Site: Soft Sheen Wh Date Sampled: 2/23/18 Analysis Date: 3/9/18 W EEP

Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Prep EPA 5035A	Complete		A		Dichlorodifluoromethane	< 49.0	mg/Kg	N	
Chloromethane	< 49.0	mg/Kg	A		Vinyl chloride	< 19.6	mg/Kg	A	
Chloroethane	< 49.0	mg/Kg	A		Trichlorofluoromethane	< 19.6	mg/Kg	N	
Diethyl ether	< 49.0	mg/Kg	N		1,1-Dichloroethene	< 9.8	mg/Kg	A	
Acetone	< 98.0	mg/Kg	N		Carbon disulfide	< 49.0	mg/Kg	N	
Methylene chloride	< 49.0	mg/Kg	A		t-Butanol	< 245	mg/Kg	N	
Methyl-t-butyl ether (MTBE)	< 19.6	mg/Kg	A		trans-1,2-Dichloroethene	< 9.8	mg/Kg	A	
Di-isopropyl ether (DIPE)	< 19.6	mg/Kg	U		1,1-Dichloroethane	< 9.8	mg/Kg	A	
Ethyl-t-butyl ether (ETBE)	< 19.6	mg/Kg	U		2-Butanone	< 98.0	mg/Kg	A	
2,2-Dichloropropane	< 9.8	mg/Kg	N		cis-1,2-Dichloroethene	< 9.8	mg/Kg	N	
Bromochloromethane	< 19.6	mg/Kg	N		Chloroform	< 9.8	mg/Kg	A	
Tetrahydrofuran	< 98.0	mg/Kg	U		1,1,1-Trichloroethane	< 9.8	mg/Kg	A	
Carbon tetrachloride	< 9.8	mg/Kg	A		1,1-Dichloropropene	< 9.8	mg/Kg	N	
Benzene	< 9.8	mg/Kg	A		t-Amylmethyl ether (TAME)	< 19.6	mg/Kg	U	
1,2-Dichloroethane	< 9.8	mg/Kg	A		Trichloroethene	< 9.8	mg/Kg	A	
1,2-Dichloropropane	< 19.6	mg/Kg	A		Dibromomethane	< 19.6	mg/Kg	N	
Bromodichloromethane	< 9.8	mg/Kg	A		cis-1,3-Dichloropropene	< 9.8	mg/Kg	A	
4-Methyl-2-pentanone (MIBK)	< 98.0	mg/Kg	N		Toluene	< 9.8	mg/Kg	A	
trans-1,3-Dichloropropene	< 9.8	mg/Kg	A		1,1,2-Trichloroethane	< 9.8	mg/Kg	A	
Tetrachloroethene	< 9.8	mg/Kg	A		1,3-Dichloropropane	< 9.8	mg/Kg	N	
2-Hexanone	< 98.0	mg/Kg	N		Dibromochloromethane	< 9.8	mg/Kg	A	
1,2-Dibromoethane	< 19.6	mg/Kg	N		Chlorobenzene	< 9.8	mg/Kg	A	
Ethylbenzene	< 9.8	mg/Kg	A		1,1,1,2-Tetrachloroethane	< 19.6	mg/Kg	N	
Xylenes, Total	< 19.6	mg/Kg	A		Styrene	< 9.8	mg/Kg	N	
Bromoform	< 19.6	mg/Kg	A		Isopropylbenzene	< 9.8	mg/Kg	A	
1,1,2,2-Tetrachloroethane	< 19.6	mg/Kg	A		Bromobenzene	< 9.8	mg/Kg	N	
n-Propylbenzene	< 19.6	mg/Kg	A		1,2,3-Trichloropropane	< 19.6	mg/Kg	N	
2-Chlorotoluene	< 19.6	mg/Kg	N		1,3,5-Trimethylbenzene	< 19.6	mg/Kg	A	
4-Chlorotoluene	< 19.6	mg/Kg	N		t-Butylbenzene	< 19.6	mg/Kg	A	
1,2,4-Trimethylbenzene	< 19.6	mg/Kg	A		s-Butylbenzene	< 19.6	mg/Kg	A	
4-Isopropyltoluene	< 19.6	mg/Kg	A		1,3-Dichlorobenzene	< 19.6	mg/Kg	A	
1,4-Dichlorobenzene	< 19.6	mg/Kg	A		1,2,3-Trimethylbenzene	< 19.6	mg/Kg	N	
n-Butylbenzene	< 19.6	mg/Kg	A		1,2-Dichlorobenzene	< 19.6	mg/Kg	A	
1,2-Dibromo-3-Chloropropane	< 19.6	mg/Kg	N		1,2,4-Trichlorobenzene	< 19.6	mg/Kg	N	
1,3,5-Trichlorobenzene	< 19.6	mg/Kg	N		Hexachlorobutadiene	< 19.6	mg/Kg	N	
Naphthalene	< 19.6	mg/Kg	A		1,2,3-Trichlorobenzene	< 19.6	mg/Kg	N	
Surr. 1 (Dibromofluoromethane)	98	%	U		Surr. 2 (Toluene d8)	100	%	U	
Surr. 3 (4-Bromofluorobenzene)	101	%	U		Unidentified Peaks	0		U	

CLIENT: Lakeland Paints  
 PROJECT: 11 Paint Samples  
 REPORT DATE: 3/14/2018

WORK ORDER: 1802-04329  
 DATE RECEIVED: 02/27/2018

TEST METHOD: EPA 8260C

003 Site: Satin Paint Wh Date Sampled: 2/23/18 Analysis Date: 3/9/18 W EEP

Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Prep EPA 5035A	Complete		A		Dichlorodifluoromethane	< 44.5	mg/Kg	N	
Chloromethane	< 44.5	mg/Kg	A		Vinyl chloride	< 17.8	mg/Kg	A	
Chloroethane	< 44.5	mg/Kg	A		Trichlorofluoromethane	< 17.8	mg/Kg	N	
Diethyl ether	< 44.5	mg/Kg	N		1,1-Dichloroethene	< 8.9	mg/Kg	A	
Acetone	324	mg/Kg	N		Carbon disulfide	< 44.5	mg/Kg	N	
Methylene chloride	< 44.5	mg/Kg	A		t-Butanol	< 223	mg/Kg	N	
Methyl-t-butyl ether (MTBE)	< 17.8	mg/Kg	A		trans-1,2-Dichloroethene	< 8.9	mg/Kg	A	
Di-isopropyl ether (DIPE)	< 17.8	mg/Kg	U		1,1-Dichloroethane	< 8.9	mg/Kg	A	
Ethyl-t-butyl ether (ETBE)	< 17.8	mg/Kg	U		2-Butanone	< 89.0	mg/Kg	A	
2,2-Dichloropropane	< 8.9	mg/Kg	N		cis-1,2-Dichloroethene	< 8.9	mg/Kg	N	
Bromochloromethane	< 17.8	mg/Kg	N		Chloroform	< 8.9	mg/Kg	A	
Tetrahydrofuran	< 89.0	mg/Kg	U		1,1,1-Trichloroethane	< 8.9	mg/Kg	A	
Carbon tetrachloride	< 8.9	mg/Kg	A		1,1-Dichloropropene	< 8.9	mg/Kg	N	
Benzene	< 8.9	mg/Kg	A		t-Amylmethyl ether (TAME)	< 17.8	mg/Kg	U	
1,2-Dichloroethane	< 8.9	mg/Kg	A		Trichloroethene	< 8.9	mg/Kg	A	
1,2-Dichloropropane	< 17.8	mg/Kg	A		Dibromomethane	< 17.8	mg/Kg	N	
Bromodichloromethane	< 8.9	mg/Kg	A		cis-1,3-Dichloropropene	< 8.9	mg/Kg	A	
4-Methyl-2-pentanone (MIBK)	< 89.0	mg/Kg	N		Toluene	< 8.9	mg/Kg	A	
trans-1,3-Dichloropropene	< 8.9	mg/Kg	A		1,1,2-Trichloroethane	< 8.9	mg/Kg	A	
Tetrachloroethene	< 8.9	mg/Kg	A		1,3-Dichloropropane	< 8.9	mg/Kg	N	
2-Hexanone	< 89.0	mg/Kg	N		Dibromochloromethane	< 8.9	mg/Kg	A	
1,2-Dibromoethane	< 17.8	mg/Kg	N		Chlorobenzene	< 8.9	mg/Kg	A	
Ethylbenzene	< 8.9	mg/Kg	A		1,1,1,2-Tetrachloroethane	< 17.8	mg/Kg	N	
Xylenes, Total	< 17.8	mg/Kg	A		Styrene	< 8.9	mg/Kg	N	
Bromoform	< 17.8	mg/Kg	A		Isopropylbenzene	< 8.9	mg/Kg	A	
1,1,2,2-Tetrachloroethane	< 17.8	mg/Kg	A		Bromobenzene	< 8.9	mg/Kg	N	
n-Propylbenzene	< 17.8	mg/Kg	A		1,2,3-Trichloropropane	< 17.8	mg/Kg	N	
2-Chlorotoluene	< 17.8	mg/Kg	N		1,3,5-Trimethylbenzene	< 17.8	mg/Kg	A	
4-Chlorotoluene	< 17.8	mg/Kg	N		t-Butylbenzene	< 17.8	mg/Kg	A	
1,2,4-Trimethylbenzene	< 17.8	mg/Kg	A		s-Butylbenzene	< 17.8	mg/Kg	A	
4-Isopropyltoluene	< 17.8	mg/Kg	A		1,3-Dichlorobenzene	< 17.8	mg/Kg	A	
1,4-Dichlorobenzene	< 17.8	mg/Kg	A		1,2,3-Trimethylbenzene	< 17.8	mg/Kg	N	
n-Butylbenzene	< 17.8	mg/Kg	A		1,2-Dichlorobenzene	< 17.8	mg/Kg	A	
1,2-Dibromo-3-Chloropropane	< 17.8	mg/Kg	N		1,2,4-Trichlorobenzene	< 17.8	mg/Kg	N	
1,3,5-Trichlorobenzene	< 17.8	mg/Kg	N		Hexachlorobutadiene	< 17.8	mg/Kg	N	
Naphthalene	< 17.8	mg/Kg	A		1,2,3-Trichlorobenzene	< 17.8	mg/Kg	N	
Surr. 1 (Dibromofluoromethane)	99	%	U		Surr. 2 (Toluene d8)	101	%	U	
Surr. 3 (4-Bromofluorobenzene)	99	%	U		Unidentified Peaks	3		U	

CLIENT: Lakeland Paints  
 PROJECT: 11 Paint Samples  
 REPORT DATE: 3/14/2018

WORK ORDER: 1802-04329  
 DATE RECEIVED: 02/27/2018

TEST METHOD: EPA 8260C

004 Site: Satin Varnish Date Sampled: 2/23/18 Analysis Date: 3/9/18 W EEP

Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Prep EPA 5035A	Complete		A		Dichlorodifluoromethane	< 45.5	mg/Kg	N	
Chloromethane	< 45.5	mg/Kg	A		Vinyl chloride	< 18.2	mg/Kg	A	
Chloroethane	< 45.5	mg/Kg	A		Trichlorofluoromethane	< 18.2	mg/Kg	N	
Diethyl ether	< 45.5	mg/Kg	N		1,1-Dichloroethene	< 9.1	mg/Kg	A	
Acetone	< 91.0	mg/Kg	N		Carbon disulfide	< 45.5	mg/Kg	N	
Methylene chloride	< 45.5	mg/Kg	A		t-Butanol	< 228	mg/Kg	N	
Methyl-t-butyl ether (MTBE)	< 18.2	mg/Kg	A		trans-1,2-Dichloroethene	< 9.1	mg/Kg	A	
Di-isopropyl ether (DIPE)	< 18.2	mg/Kg	U		1,1-Dichloroethane	< 9.1	mg/Kg	A	
Ethyl-t-butyl ether (ETBE)	< 18.2	mg/Kg	U		2-Butanone	< 91.0	mg/Kg	A	
2,2-Dichloropropane	< 9.1	mg/Kg	N		cis-1,2-Dichloroethene	< 9.1	mg/Kg	N	
Bromochloromethane	< 18.2	mg/Kg	N		Chloroform	< 9.1	mg/Kg	A	
Tetrahydrofuran	< 91.0	mg/Kg	U		1,1,1-Trichloroethane	< 9.1	mg/Kg	A	
Carbon tetrachloride	< 9.1	mg/Kg	A		1,1-Dichloropropene	< 9.1	mg/Kg	N	
Benzene	< 9.1	mg/Kg	A		t-Amylmethyl ether (TAME)	< 18.2	mg/Kg	U	
1,2-Dichloroethane	< 9.1	mg/Kg	A		Trichloroethene	< 9.1	mg/Kg	A	
1,2-Dichloropropane	< 18.2	mg/Kg	A		Dibromomethane	< 18.2	mg/Kg	N	
Bromodichloromethane	< 9.1	mg/Kg	A		cis-1,3-Dichloropropene	< 9.1	mg/Kg	A	
4-Methyl-2-pentanone (MIBK)	< 91.0	mg/Kg	N		Toluene	< 9.1	mg/Kg	A	
trans-1,3-Dichloropropene	< 9.1	mg/Kg	A		1,1,2-Trichloroethane	< 9.1	mg/Kg	A	
Tetrachloroethene	< 9.1	mg/Kg	A		1,3-Dichloropropane	< 9.1	mg/Kg	N	
2-Hexanone	< 91.0	mg/Kg	N		Dibromochloromethane	< 9.1	mg/Kg	A	
1,2-Dibromoethane	< 18.2	mg/Kg	N		Chlorobenzene	< 9.1	mg/Kg	A	
Ethylbenzene	< 9.1	mg/Kg	A		1,1,1,2-Tetrachloroethane	< 18.2	mg/Kg	N	
Xylenes, Total	< 18.2	mg/Kg	A		Styrene	< 9.1	mg/Kg	N	
Bromoform	< 18.2	mg/Kg	A		Isopropylbenzene	< 9.1	mg/Kg	A	
1,1,2,2-Tetrachloroethane	< 18.2	mg/Kg	A		Bromobenzene	< 9.1	mg/Kg	N	
n-Propylbenzene	< 18.2	mg/Kg	A		1,2,3-Trichloropropane	< 18.2	mg/Kg	N	
2-Chlorotoluene	< 18.2	mg/Kg	N		1,3,5-Trimethylbenzene	< 18.2	mg/Kg	A	
4-Chlorotoluene	< 18.2	mg/Kg	N		t-Butylbenzene	< 18.2	mg/Kg	A	
1,2,4-Trimethylbenzene	< 18.2	mg/Kg	A		s-Butylbenzene	< 18.2	mg/Kg	A	
4-Isopropyltoluene	< 18.2	mg/Kg	A		1,3-Dichlorobenzene	< 18.2	mg/Kg	A	
1,4-Dichlorobenzene	< 18.2	mg/Kg	A		1,2,3-Trimethylbenzene	< 18.2	mg/Kg	N	
n-Butylbenzene	< 18.2	mg/Kg	A		1,2-Dichlorobenzene	< 18.2	mg/Kg	A	
1,2-Dibromo-3-Chloropropane	< 18.2	mg/Kg	N		1,2,4-Trichlorobenzene	< 18.2	mg/Kg	N	
1,3,5-Trichlorobenzene	< 18.2	mg/Kg	N		Hexachlorobutadiene	< 18.2	mg/Kg	N	
Naphthalene	< 18.2	mg/Kg	A		1,2,3-Trichlorobenzene	< 18.2	mg/Kg	N	
Surr. 1 (Dibromofluoromethane)	99	%	U		Surr. 2 (Toluene d8)	99	%	U	
Surr. 3 (4-Bromofluorobenzene)	101	%	U		Unidentified Peaks	2		U	

CLIENT: Lakeland Paints  
 PROJECT: 11 Paint Samples  
 REPORT DATE: 3/14/2018

WORK ORDER: 1802-04329  
 DATE RECEIVED: 02/27/2018

TEST METHOD: EPA 8260C

005 Site: Stainblock Date Sampled: 2/23/18 Analysis Date: 3/9/18 W EEP

Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Prep EPA 5035A	Complete		A		Dichlorodifluoromethane	< 33.5	mg/Kg	N	
Chloromethane	< 33.5	mg/Kg	A		Vinyl chloride	< 13.4	mg/Kg	A	
Chloroethane	< 33.5	mg/Kg	A		Trichlorofluoromethane	< 13.4	mg/Kg	N	
Diethyl ether	< 33.5	mg/Kg	N		1,1-Dichloroethene	< 6.7	mg/Kg	A	
Acetone	< 67.0	mg/Kg	N		Carbon disulfide	< 33.5	mg/Kg	N	
Methylene chloride	< 33.5	mg/Kg	A		t-Butanol	< 168	mg/Kg	N	
Methyl-t-butyl ether (MTBE)	< 13.4	mg/Kg	A		trans-1,2-Dichloroethene	< 6.7	mg/Kg	A	
Di-isopropyl ether (DIPE)	< 13.4	mg/Kg	U		1,1-Dichloroethane	< 6.7	mg/Kg	A	
Ethyl-t-butyl ether (ETBE)	< 13.4	mg/Kg	U		2-Butanone	< 67.0	mg/Kg	A	
2,2-Dichloropropane	< 6.7	mg/Kg	N		cis-1,2-Dichloroethene	< 6.7	mg/Kg	N	
Bromochloromethane	< 13.4	mg/Kg	N		Chloroform	< 6.7	mg/Kg	A	
Tetrahydrofuran	< 67.0	mg/Kg	U		1,1,1-Trichloroethane	< 6.7	mg/Kg	A	
Carbon tetrachloride	< 6.7	mg/Kg	A		1,1-Dichloropropene	< 6.7	mg/Kg	N	
Benzene	< 6.7	mg/Kg	A		t-Amylmethyl ether (TAME)	< 13.4	mg/Kg	U	
1,2-Dichloroethane	< 6.7	mg/Kg	A		Trichloroethene	< 6.7	mg/Kg	A	
1,2-Dichloropropane	< 13.4	mg/Kg	A		Dibromomethane	< 13.4	mg/Kg	N	
Bromodichloromethane	< 6.7	mg/Kg	A		cis-1,3-Dichloropropene	< 6.7	mg/Kg	A	
4-Methyl-2-pentanone (MIBK)	< 67.0	mg/Kg	N		Toluene	< 6.7	mg/Kg	A	
trans-1,3-Dichloropropene	< 6.7	mg/Kg	A		1,1,2-Trichloroethane	< 6.7	mg/Kg	A	
Tetrachloroethene	< 6.7	mg/Kg	A		1,3-Dichloropropane	< 6.7	mg/Kg	N	
2-Hexanone	< 67.0	mg/Kg	N		Dibromochloromethane	< 6.7	mg/Kg	A	
1,2-Dibromoethane	< 13.4	mg/Kg	N		Chlorobenzene	< 6.7	mg/Kg	A	
Ethylbenzene	< 6.7	mg/Kg	A		1,1,1,2-Tetrachloroethane	< 13.4	mg/Kg	N	
Xylenes, Total	< 13.4	mg/Kg	A		Styrene	< 6.7	mg/Kg	N	
Bromoform	< 13.4	mg/Kg	A		Isopropylbenzene	< 6.7	mg/Kg	A	
1,1,2,2-Tetrachloroethane	< 13.4	mg/Kg	A		Bromobenzene	< 6.7	mg/Kg	N	
n-Propylbenzene	< 13.4	mg/Kg	A		1,2,3-Trichloropropane	< 13.4	mg/Kg	N	
2-Chlorotoluene	< 13.4	mg/Kg	N		1,3,5-Trimethylbenzene	< 13.4	mg/Kg	A	
4-Chlorotoluene	< 13.4	mg/Kg	N		t-Butylbenzene	< 13.4	mg/Kg	A	
1,2,4-Trimethylbenzene	< 13.4	mg/Kg	A		s-Butylbenzene	< 13.4	mg/Kg	A	
4-Isopropyltoluene	< 13.4	mg/Kg	A		1,3-Dichlorobenzene	< 13.4	mg/Kg	A	
1,4-Dichlorobenzene	< 13.4	mg/Kg	A		1,2,3-Trimethylbenzene	< 13.4	mg/Kg	N	
n-Butylbenzene	< 13.4	mg/Kg	A		1,2-Dichlorobenzene	< 13.4	mg/Kg	A	
1,2-Dibromo-3-Chloropropane	< 13.4	mg/Kg	N		1,2,4-Trichlorobenzene	< 13.4	mg/Kg	N	
1,3,5-Trichlorobenzene	< 13.4	mg/Kg	N		Hexachlorobutadiene	< 13.4	mg/Kg	N	
Naphthalene	< 13.4	mg/Kg	A		1,2,3-Trichlorobenzene	< 13.4	mg/Kg	N	
Surr. 1 (Dibromofluoromethane)	99	%	U		Surr. 2 (Toluene d8)	100	%	U	
Surr. 3 (4-Bromofluorobenzene)	100	%	U		Unidentified Peaks	2		U	

CLIENT: Lakeland Paints  
 PROJECT: 11 Paint Samples  
 REPORT DATE: 3/14/2018

WORK ORDER: 1802-04329  
 DATE RECEIVED: 02/27/2018

TEST METHOD: EPA 8260C

006 Site: Mdf Passivator Date Sampled: 2/23/18 Analysis Date: 3/9/18 W EEP

Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Prep EPA 5035A	Complete		A		Dichlorodifluoromethane	< 41.0	mg/Kg	N	
Chloromethane	< 41.0	mg/Kg	A		Vinyl chloride	< 16.4	mg/Kg	A	
Chloroethane	< 41.0	mg/Kg	A		Trichlorofluoromethane	< 16.4	mg/Kg	N	
Diethyl ether	< 41.0	mg/Kg	N		1,1-Dichloroethene	< 8.2	mg/Kg	A	
Acetone	< 82.0	mg/Kg	N		Carbon disulfide	< 41.0	mg/Kg	N	
Methylene chloride	< 41.0	mg/Kg	A		t-Butanol	< 205	mg/Kg	N	
Methyl-t-butyl ether (MTBE)	< 16.4	mg/Kg	A		trans-1,2-Dichloroethene	< 8.2	mg/Kg	A	
Di-isopropyl ether (DIPE)	< 16.4	mg/Kg	U		1,1-Dichloroethane	< 8.2	mg/Kg	A	
Ethyl-t-butyl ether (ETBE)	< 16.4	mg/Kg	U		2-Butanone	< 82.0	mg/Kg	A	
2,2-Dichloropropane	< 8.2	mg/Kg	N		cis-1,2-Dichloroethene	< 8.2	mg/Kg	N	
Bromochloromethane	< 16.4	mg/Kg	N		Chloroform	< 8.2	mg/Kg	A	
Tetrahydrofuran	< 82.0	mg/Kg	U		1,1,1-Trichloroethane	< 8.2	mg/Kg	A	
Carbon tetrachloride	< 8.2	mg/Kg	A		1,1-Dichloropropene	< 8.2	mg/Kg	N	
Benzene	< 8.2	mg/Kg	A		t-Amylmethyl ether (TAME)	< 16.4	mg/Kg	U	
1,2-Dichloroethane	< 8.2	mg/Kg	A		Trichloroethene	< 8.2	mg/Kg	A	
1,2-Dichloropropane	< 16.4	mg/Kg	A		Dibromomethane	< 16.4	mg/Kg	N	
Bromodichloromethane	< 8.2	mg/Kg	A		cis-1,3-Dichloropropene	< 8.2	mg/Kg	A	
4-Methyl-2-pentanone (MIBK)	< 82.0	mg/Kg	N		Toluene	< 8.2	mg/Kg	A	
trans-1,3-Dichloropropene	< 8.2	mg/Kg	A		1,1,2-Trichloroethane	< 8.2	mg/Kg	A	
Tetrachloroethene	< 8.2	mg/Kg	A		1,3-Dichloropropane	< 8.2	mg/Kg	N	
2-Hexanone	< 82.0	mg/Kg	N		Dibromochloromethane	< 8.2	mg/Kg	A	
1,2-Dibromoethane	< 16.4	mg/Kg	N		Chlorobenzene	< 8.2	mg/Kg	A	
Ethylbenzene	< 8.2	mg/Kg	A		1,1,1,2-Tetrachloroethane	< 16.4	mg/Kg	N	
Xylenes, Total	< 16.4	mg/Kg	A		Styrene	< 8.2	mg/Kg	N	
Bromoform	< 16.4	mg/Kg	A		Isopropylbenzene	< 8.2	mg/Kg	A	
1,1,2,2-Tetrachloroethane	< 16.4	mg/Kg	A		Bromobenzene	< 8.2	mg/Kg	N	
n-Propylbenzene	< 16.4	mg/Kg	A		1,2,3-Trichloropropane	< 16.4	mg/Kg	N	
2-Chlorotoluene	< 16.4	mg/Kg	N		1,3,5-Trimethylbenzene	< 16.4	mg/Kg	A	
4-Chlorotoluene	< 16.4	mg/Kg	N		t-Butylbenzene	< 16.4	mg/Kg	A	
1,2,4-Trimethylbenzene	< 16.4	mg/Kg	A		s-Butylbenzene	< 16.4	mg/Kg	A	
4-Isopropyltoluene	< 16.4	mg/Kg	A		1,3-Dichlorobenzene	< 16.4	mg/Kg	A	
1,4-Dichlorobenzene	< 16.4	mg/Kg	A		1,2,3-Trimethylbenzene	< 16.4	mg/Kg	N	
n-Butylbenzene	< 16.4	mg/Kg	A		1,2-Dichlorobenzene	< 16.4	mg/Kg	A	
1,2-Dibromo-3-Chloropropane	< 16.4	mg/Kg	N		1,2,4-Trichlorobenzene	< 16.4	mg/Kg	N	
1,3,5-Trichlorobenzene	< 16.4	mg/Kg	N		Hexachlorobutadiene	< 16.4	mg/Kg	N	
Naphthalene	< 16.4	mg/Kg	A		1,2,3-Trichlorobenzene	< 16.4	mg/Kg	N	
Surr. 1 (Dibromofluoromethane)	99	%	U		Surr. 2 (Toluene d8)	100	%	U	
Surr. 3 (4-Bromofluorobenzene)	101	%	U		Unidentified Peaks	0		U	

CLIENT: Lakeland Paints  
 PROJECT: 11 Paint Samples  
 REPORT DATE: 3/14/2018

WORK ORDER: 1802-04329  
 DATE RECEIVED: 02/27/2018

TEST METHOD: EPA 8260C

007 Site: EMR Paint Date Sampled: 2/23/18 Analysis Date: 3/9/18 W EEP

Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Prep EPA 5035A	Complete		A		Dichlorodifluoromethane	< 56.5	mg/Kg	N	
Chloromethane	< 56.5	mg/Kg	A		Vinyl chloride	< 22.6	mg/Kg	A	
Chloroethane	< 56.5	mg/Kg	A		Trichlorofluoromethane	< 22.6	mg/Kg	N	
Diethyl ether	< 56.5	mg/Kg	N		1,1-Dichloroethene	< 11.3	mg/Kg	A	
Acetone	121	mg/Kg	N		Carbon disulfide	< 56.5	mg/Kg	N	
Methylene chloride	< 56.5	mg/Kg	A		t-Butanol	< 283	mg/Kg	N	
Methyl-t-butyl ether (MTBE)	< 22.6	mg/Kg	A		trans-1,2-Dichloroethene	< 11.3	mg/Kg	A	
Di-isopropyl ether (DIPE)	< 22.6	mg/Kg	U		1,1-Dichloroethane	< 11.3	mg/Kg	A	
Ethyl-t-butyl ether (ETBE)	< 22.6	mg/Kg	U		2-Butanone	< 113	mg/Kg	A	
2,2-Dichloropropane	< 11.3	mg/Kg	N		cis-1,2-Dichloroethene	< 11.3	mg/Kg	N	
Bromochloromethane	< 22.6	mg/Kg	N		Chloroform	< 11.3	mg/Kg	A	
Tetrahydrofuran	< 113	mg/Kg	U		1,1,1-Trichloroethane	< 11.3	mg/Kg	A	
Carbon tetrachloride	< 11.3	mg/Kg	A		1,1-Dichloropropene	< 11.3	mg/Kg	N	
Benzene	< 11.3	mg/Kg	A		t-Amylmethyl ether (TAME)	< 22.6	mg/Kg	U	
1,2-Dichloroethane	< 11.3	mg/Kg	A		Trichloroethene	< 11.3	mg/Kg	A	
1,2-Dichloropropane	< 22.6	mg/Kg	A		Dibromomethane	< 22.6	mg/Kg	N	
Bromodichloromethane	< 11.3	mg/Kg	A		cis-1,3-Dichloropropene	< 11.3	mg/Kg	A	
4-Methyl-2-pentanone (MIBK)	< 113	mg/Kg	N		Toluene	< 11.3	mg/Kg	A	
trans-1,3-Dichloropropene	< 11.3	mg/Kg	A		1,1,2-Trichloroethane	< 11.3	mg/Kg	A	
Tetrachloroethene	< 11.3	mg/Kg	A		1,3-Dichloropropane	< 11.3	mg/Kg	N	
2-Hexanone	< 113	mg/Kg	N		Dibromochloromethane	< 11.3	mg/Kg	A	
1,2-Dibromoethane	< 22.6	mg/Kg	N		Chlorobenzene	< 11.3	mg/Kg	A	
Ethylbenzene	< 11.3	mg/Kg	A		1,1,1,2-Tetrachloroethane	< 22.6	mg/Kg	N	
Xylenes, Total	< 22.6	mg/Kg	A		Styrene	< 11.3	mg/Kg	N	
Bromoform	< 22.6	mg/Kg	A		Isopropylbenzene	< 11.3	mg/Kg	A	
1,1,2,2-Tetrachloroethane	< 22.6	mg/Kg	A		Bromobenzene	< 11.3	mg/Kg	N	
n-Propylbenzene	< 22.6	mg/Kg	A		1,2,3-Trichloropropane	< 22.6	mg/Kg	N	
2-Chlorotoluene	< 22.6	mg/Kg	N		1,3,5-Trimethylbenzene	< 22.6	mg/Kg	A	
4-Chlorotoluene	< 22.6	mg/Kg	N		t-Butylbenzene	< 22.6	mg/Kg	A	
1,2,4-Trimethylbenzene	< 22.6	mg/Kg	A		s-Butylbenzene	< 22.6	mg/Kg	A	
4-Isopropyltoluene	< 22.6	mg/Kg	A		1,3-Dichlorobenzene	< 22.6	mg/Kg	A	
1,4-Dichlorobenzene	< 22.6	mg/Kg	A		1,2,3-Trimethylbenzene	< 22.6	mg/Kg	N	
n-Butylbenzene	< 22.6	mg/Kg	A		1,2-Dichlorobenzene	< 22.6	mg/Kg	A	
1,2-Dibromo-3-Chloropropane	< 22.6	mg/Kg	N		1,2,4-Trichlorobenzene	< 22.6	mg/Kg	N	
1,3,5-Trichlorobenzene	< 22.6	mg/Kg	N		Hexachlorobutadiene	< 22.6	mg/Kg	N	
Naphthalene	< 22.6	mg/Kg	A		1,2,3-Trichlorobenzene	< 22.6	mg/Kg	N	
Surr. 1 (Dibromofluoromethane)	98	%	U		Surr. 2 (Toluene d8)	100	%	U	
Surr. 3 (4-Bromofluorobenzene)	100	%	U		Unidentified Peaks	0		U	



CLIENT: Lakeland Paints  
 PROJECT: 11 Paint Samples  
 REPORT DATE: 3/14/2018

WORK ORDER: 1802-04329  
 DATE RECEIVED: 02/27/2018

TEST METHOD: EPA 8260C

008 Site: Wood Glue Date Sampled: 2/23/18 Analysis Date: 3/9/18 W EEP

Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Prep EPA 5035A	Complete		A		Dichlorodifluoromethane	< 53.0	mg/Kg	N	
Chloromethane	< 53.0	mg/Kg	A		Vinyl chloride	< 21.2	mg/Kg	A	
Chloroethane	< 53.0	mg/Kg	A		Trichlorofluoromethane	< 21.2	mg/Kg	N	
Diethyl ether	< 53.0	mg/Kg	N		1,1-Dichloroethene	< 10.6	mg/Kg	A	
Acetone	295	mg/Kg	N		Carbon disulfide	< 53.0	mg/Kg	N	
Methylene chloride	< 53.0	mg/Kg	A		t-Butanol	< 265	mg/Kg	N	
Methyl-t-butyl ether (MTBE)	< 21.2	mg/Kg	A		trans-1,2-Dichloroethene	< 10.6	mg/Kg	A	
Di-isopropyl ether (DIPE)	< 21.2	mg/Kg	U		1,1-Dichloroethane	< 10.6	mg/Kg	A	
Ethyl-t-butyl ether (ETBE)	< 21.2	mg/Kg	U		2-Butanone	< 106	mg/Kg	A	
2,2-Dichloropropane	< 10.6	mg/Kg	N		cis-1,2-Dichloroethene	< 10.6	mg/Kg	N	
Bromochloromethane	< 21.2	mg/Kg	N		Chloroform	< 10.6	mg/Kg	A	
Tetrahydrofuran	< 106	mg/Kg	U		1,1,1-Trichloroethane	< 10.6	mg/Kg	A	
Carbon tetrachloride	< 10.6	mg/Kg	A		1,1-Dichloropropene	< 10.6	mg/Kg	N	
Benzene	< 10.6	mg/Kg	A		t-Amylmethyl ether (TAME)	< 21.2	mg/Kg	U	
1,2-Dichloroethane	< 10.6	mg/Kg	A		Trichloroethene	< 10.6	mg/Kg	A	
1,2-Dichloropropane	< 21.2	mg/Kg	A		Dibromomethane	< 21.2	mg/Kg	N	
Bromodichloromethane	< 10.6	mg/Kg	A		cis-1,3-Dichloropropene	< 10.6	mg/Kg	A	
4-Methyl-2-pentanone (MIBK)	< 106	mg/Kg	N		Toluene	< 10.6	mg/Kg	A	
trans-1,3-Dichloropropene	< 10.6	mg/Kg	A		1,1,2-Trichloroethane	< 10.6	mg/Kg	A	
Tetrachloroethene	< 10.6	mg/Kg	A		1,3-Dichloropropane	< 10.6	mg/Kg	N	
2-Hexanone	< 106	mg/Kg	N		Dibromochloromethane	< 10.6	mg/Kg	A	
1,2-Dibromoethane	< 21.2	mg/Kg	N		Chlorobenzene	< 10.6	mg/Kg	A	
Ethylbenzene	< 10.6	mg/Kg	A		1,1,1,2-Tetrachloroethane	< 21.2	mg/Kg	N	
Xylenes, Total	< 21.2	mg/Kg	A		Styrene	< 10.6	mg/Kg	N	
Bromoform	< 21.2	mg/Kg	A		Isopropylbenzene	< 10.6	mg/Kg	A	
1,1,2,2-Tetrachloroethane	< 21.2	mg/Kg	A		Bromobenzene	< 10.6	mg/Kg	N	
n-Propylbenzene	< 21.2	mg/Kg	A		1,2,3-Trichloropropane	< 21.2	mg/Kg	N	
2-Chlorotoluene	< 21.2	mg/Kg	N		1,3,5-Trimethylbenzene	< 21.2	mg/Kg	A	
4-Chlorotoluene	< 21.2	mg/Kg	N		t-Butylbenzene	< 21.2	mg/Kg	A	
1,2,4-Trimethylbenzene	< 21.2	mg/Kg	A		s-Butylbenzene	< 21.2	mg/Kg	A	
4-Isopropyltoluene	< 21.2	mg/Kg	A		1,3-Dichlorobenzene	< 21.2	mg/Kg	A	
1,4-Dichlorobenzene	< 21.2	mg/Kg	A		1,2,3-Trimethylbenzene	< 21.2	mg/Kg	N	
n-Butylbenzene	< 21.2	mg/Kg	A		1,2-Dichlorobenzene	< 21.2	mg/Kg	A	
1,2-Dibromo-3-Chloropropane	< 21.2	mg/Kg	N		1,2,4-Trichlorobenzene	< 21.2	mg/Kg	N	
1,3,5-Trichlorobenzene	< 21.2	mg/Kg	N		Hexachlorobutadiene	< 21.2	mg/Kg	N	
Naphthalene	< 21.2	mg/Kg	A		1,2,3-Trichlorobenzene	< 21.2	mg/Kg	N	
Surr. 1 (Dibromofluoromethane)	97	%	U		Surr. 2 (Toluene d8)	101	%	U	
Surr. 3 (4-Bromofluorobenzene)	100	%	U		Unidentified Peaks	2		U	

CLIENT: Lakeland Paints  
 PROJECT: 11 Paint Samples  
 REPORT DATE: 3/14/2018

WORK ORDER: 1802-04329  
 DATE RECEIVED: 02/27/2018

TEST METHOD: EPA 8260C

009 Site: Undercoat Wh Date Sampled: 2/23/18 Analysis Date: 3/9/18 W EEP

Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Prep EPA 5035A	Complete		A		Dichlorodifluoromethane	< 32.0	mg/Kg	N	
Chloromethane	< 32.0	mg/Kg	A		Vinyl chloride	< 12.8	mg/Kg	A	
Chloroethane	< 32.0	mg/Kg	A		Trichlorofluoromethane	< 12.8	mg/Kg	N	
Diethyl ether	< 32.0	mg/Kg	N		1,1-Dichloroethene	< 6.4	mg/Kg	A	
Acetone	376	mg/Kg	N		Carbon disulfide	< 32.0	mg/Kg	N	
Methylene chloride	< 32.0	mg/Kg	A		t-Butanol	< 160	mg/Kg	N	
Methyl-t-butyl ether (MTBE)	< 12.8	mg/Kg	A		trans-1,2-Dichloroethene	< 6.4	mg/Kg	A	
Di-isopropyl ether (DIPE)	< 12.8	mg/Kg	U		1,1-Dichloroethane	< 6.4	mg/Kg	A	
Ethyl-t-butyl ether (ETBE)	< 12.8	mg/Kg	U		2-Butanone	< 64.0	mg/Kg	A	
2,2-Dichloropropane	< 6.4	mg/Kg	N		cis-1,2-Dichloroethene	< 6.4	mg/Kg	N	
Bromochloromethane	< 12.8	mg/Kg	N		Chloroform	< 6.4	mg/Kg	A	
Tetrahydrofuran	< 64.0	mg/Kg	U		1,1,1-Trichloroethane	< 6.4	mg/Kg	A	
Carbon tetrachloride	< 6.4	mg/Kg	A		1,1-Dichloropropene	< 6.4	mg/Kg	N	
Benzene	< 6.4	mg/Kg	A		t-Amylmethyl ether (TAME)	< 12.8	mg/Kg	U	
1,2-Dichloroethane	< 6.4	mg/Kg	A		Trichloroethene	< 6.4	mg/Kg	A	
1,2-Dichloropropane	< 12.8	mg/Kg	A		Dibromomethane	< 12.8	mg/Kg	N	
Bromodichloromethane	< 6.4	mg/Kg	A		cis-1,3-Dichloropropene	< 6.4	mg/Kg	A	
4-Methyl-2-pentanone (MIBK)	< 64.0	mg/Kg	N		Toluene	< 6.4	mg/Kg	A	
trans-1,3-Dichloropropene	< 6.4	mg/Kg	A		1,1,2-Trichloroethane	< 6.4	mg/Kg	A	
Tetrachloroethene	< 6.4	mg/Kg	A		1,3-Dichloropropane	< 6.4	mg/Kg	N	
2-Hexanone	< 64.0	mg/Kg	N		Dibromochloromethane	< 6.4	mg/Kg	A	
1,2-Dibromoethane	< 12.8	mg/Kg	N		Chlorobenzene	< 6.4	mg/Kg	A	
Ethylbenzene	< 6.4	mg/Kg	A		1,1,1,2-Tetrachloroethane	< 12.8	mg/Kg	N	
Xylenes, Total	< 12.8	mg/Kg	A		Styrene	< 6.4	mg/Kg	N	
Bromoform	< 12.8	mg/Kg	A		Isopropylbenzene	< 6.4	mg/Kg	A	
1,1,2,2-Tetrachloroethane	< 12.8	mg/Kg	A		Bromobenzene	< 6.4	mg/Kg	N	
n-Propylbenzene	< 12.8	mg/Kg	A		1,2,3-Trichloropropane	< 12.8	mg/Kg	N	
2-Chlorotoluene	< 12.8	mg/Kg	N		1,3,5-Trimethylbenzene	< 12.8	mg/Kg	A	
4-Chlorotoluene	< 12.8	mg/Kg	N		t-Butylbenzene	< 12.8	mg/Kg	A	
1,2,4-Trimethylbenzene	< 12.8	mg/Kg	A		s-Butylbenzene	< 12.8	mg/Kg	A	
4-Isopropyltoluene	< 12.8	mg/Kg	A		1,3-Dichlorobenzene	< 12.8	mg/Kg	A	
1,4-Dichlorobenzene	< 12.8	mg/Kg	A		1,2,3-Trimethylbenzene	< 12.8	mg/Kg	N	
n-Butylbenzene	< 12.8	mg/Kg	A		1,2-Dichlorobenzene	< 12.8	mg/Kg	A	
1,2-Dibromo-3-Chloropropane	< 12.8	mg/Kg	N		1,2,4-Trichlorobenzene	< 12.8	mg/Kg	N	
1,3,5-Trichlorobenzene	< 12.8	mg/Kg	N		Hexachlorobutadiene	< 12.8	mg/Kg	N	
Naphthalene	< 12.8	mg/Kg	A		1,2,3-Trichlorobenzene	< 12.8	mg/Kg	N	
Surr. 1 (Dibromofluoromethane)	101	%	U		Surr. 2 (Toluene d8)	101	%	U	
Surr. 3 (4-Bromofluorobenzene)	102	%	U		Unidentified Peaks	2		U	

CLIENT: Lakeland Paints  
 PROJECT: 11 Paint Samples  
 REPORT DATE: 3/14/2018

WORK ORDER: 1802-04329  
 DATE RECEIVED: 02/27/2018

TEST METHOD: EPA 8260C

010 Site: Eggshell Wh Date Sampled: 2/23/18 Analysis Date: 3/9/18 W EEP

Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Prep EPA 5035A	Complete		A		Dichlorodifluoromethane	< 33.5	mg/Kg	N	
Chloromethane	< 33.5	mg/Kg	A		Vinyl chloride	< 13.4	mg/Kg	A	
Chloroethane	< 33.5	mg/Kg	A		Trichlorofluoromethane	< 13.4	mg/Kg	N	
Diethyl ether	< 33.5	mg/Kg	N		1,1-Dichloroethene	< 6.7	mg/Kg	A	
Acetone	245	mg/Kg	N		Carbon disulfide	< 33.5	mg/Kg	N	
Methylene chloride	< 33.5	mg/Kg	A		t-Butanol	< 168	mg/Kg	N	
Methyl-t-butyl ether (MTBE)	< 13.4	mg/Kg	A		trans-1,2-Dichloroethene	< 6.7	mg/Kg	A	
Di-isopropyl ether (DIPE)	< 13.4	mg/Kg	U		1,1-Dichloroethane	< 6.7	mg/Kg	A	
Ethyl-t-butyl ether (ETBE)	< 13.4	mg/Kg	U		2-Butanone	< 67.0	mg/Kg	A	
2,2-Dichloropropane	< 6.7	mg/Kg	N		cis-1,2-Dichloroethene	< 6.7	mg/Kg	N	
Bromochloromethane	< 13.4	mg/Kg	N		Chloroform	< 6.7	mg/Kg	A	
Tetrahydrofuran	< 67.0	mg/Kg	U		1,1,1-Trichloroethane	< 6.7	mg/Kg	A	
Carbon tetrachloride	< 6.7	mg/Kg	A		1,1-Dichloropropene	< 6.7	mg/Kg	N	
Benzene	< 6.7	mg/Kg	A		t-Amylmethyl ether (TAME)	< 13.4	mg/Kg	U	
1,2-Dichloroethane	< 6.7	mg/Kg	A		Trichloroethene	< 6.7	mg/Kg	A	
1,2-Dichloropropane	< 13.4	mg/Kg	A		Dibromomethane	< 13.4	mg/Kg	N	
Bromodichloromethane	< 6.7	mg/Kg	A		cis-1,3-Dichloropropene	< 6.7	mg/Kg	A	
4-Methyl-2-pentanone (MIBK)	< 67.0	mg/Kg	N		Toluene	< 6.7	mg/Kg	A	
trans-1,3-Dichloropropene	< 6.7	mg/Kg	A		1,1,2-Trichloroethane	< 6.7	mg/Kg	A	
Tetrachloroethene	< 6.7	mg/Kg	A		1,3-Dichloropropane	< 6.7	mg/Kg	N	
2-Hexanone	< 67.0	mg/Kg	N		Dibromochloromethane	< 6.7	mg/Kg	A	
1,2-Dibromoethane	< 13.4	mg/Kg	N		Chlorobenzene	< 6.7	mg/Kg	A	
Ethylbenzene	< 6.7	mg/Kg	A		1,1,1,2-Tetrachloroethane	< 13.4	mg/Kg	N	
Xylenes, Total	< 13.4	mg/Kg	A		Styrene	< 6.7	mg/Kg	N	
Bromoform	< 13.4	mg/Kg	A		Isopropylbenzene	< 6.7	mg/Kg	A	
1,1,2,2-Tetrachloroethane	< 13.4	mg/Kg	A		Bromobenzene	< 6.7	mg/Kg	N	
n-Propylbenzene	< 13.4	mg/Kg	A		1,2,3-Trichloropropane	< 13.4	mg/Kg	N	
2-Chlorotoluene	< 13.4	mg/Kg	N		1,3,5-Trimethylbenzene	< 13.4	mg/Kg	A	
4-Chlorotoluene	< 13.4	mg/Kg	N		t-Butylbenzene	< 13.4	mg/Kg	A	
1,2,4-Trimethylbenzene	< 13.4	mg/Kg	A		s-Butylbenzene	< 13.4	mg/Kg	A	
4-Isopropyltoluene	< 13.4	mg/Kg	A		1,3-Dichlorobenzene	< 13.4	mg/Kg	A	
1,4-Dichlorobenzene	< 13.4	mg/Kg	A		1,2,3-Trimethylbenzene	< 13.4	mg/Kg	N	
n-Butylbenzene	< 13.4	mg/Kg	A		1,2-Dichlorobenzene	< 13.4	mg/Kg	A	
1,2-Dibromo-3-Chloropropane	< 13.4	mg/Kg	N		1,2,4-Trichlorobenzene	< 13.4	mg/Kg	N	
1,3,5-Trichlorobenzene	< 13.4	mg/Kg	N		Hexachlorobutadiene	< 13.4	mg/Kg	N	
Naphthalene	< 13.4	mg/Kg	A		1,2,3-Trichlorobenzene	< 13.4	mg/Kg	N	
Surr. 1 (Dibromofluoromethane)	99	%	U		Surr. 2 (Toluene d8)	100	%	U	
Surr. 3 (4-Bromofluorobenzene)	101	%	U		Unidentified Peaks	2		U	

CLIENT: Lakeland Paints  
 PROJECT: 11 Paint Samples  
 REPORT DATE: 3/14/2018

WORK ORDER: 1802-04329  
 DATE RECEIVED: 02/27/2018

TEST METHOD: EPA 8260C

011 Site: Fengshui Wh Date Sampled: 2/23/18 Analysis Date: 3/9/18 W EEP

Parameter	Result	Unit	Nelac	Qual	Parameter	Result	Unit	Nelac	Qual
Prep EPA 5035A	Complete		A		Dichlorodifluoromethane	< 39.5	mg/Kg	N	
Chloromethane	< 39.5	mg/Kg	A		Vinyl chloride	< 15.8	mg/Kg	A	
Chloroethane	< 39.5	mg/Kg	A		Trichlorofluoromethane	< 15.8	mg/Kg	N	
Diethyl ether	< 39.5	mg/Kg	N		1,1-Dichloroethene	< 7.9	mg/Kg	A	
Acetone	267	mg/Kg	N		Carbon disulfide	< 39.5	mg/Kg	N	
Methylene chloride	< 39.5	mg/Kg	A		t-Butanol	< 198	mg/Kg	N	
Methyl-t-butyl ether (MTBE)	< 15.8	mg/Kg	A		trans-1,2-Dichloroethene	< 7.9	mg/Kg	A	
Di-isopropyl ether (DIPE)	< 15.8	mg/Kg	U		1,1-Dichloroethane	< 7.9	mg/Kg	A	
Ethyl-t-butyl ether (ETBE)	< 15.8	mg/Kg	U		2-Butanone	< 79.0	mg/Kg	A	
2,2-Dichloropropane	< 7.9	mg/Kg	N		cis-1,2-Dichloroethene	< 7.9	mg/Kg	N	
Bromochloromethane	< 15.8	mg/Kg	N		Chloroform	< 7.9	mg/Kg	A	
Tetrahydrofuran	< 79.0	mg/Kg	U		1,1,1-Trichloroethane	< 7.9	mg/Kg	A	
Carbon tetrachloride	< 7.9	mg/Kg	A		1,1-Dichloropropene	< 7.9	mg/Kg	N	
Benzene	< 7.9	mg/Kg	A		t-Amylmethyl ether (TAME)	< 15.8	mg/Kg	U	
1,2-Dichloroethane	< 7.9	mg/Kg	A		Trichloroethene	< 7.9	mg/Kg	A	
1,2-Dichloropropane	< 15.8	mg/Kg	A		Dibromomethane	< 15.8	mg/Kg	N	
Bromodichloromethane	< 7.9	mg/Kg	A		cis-1,3-Dichloropropene	< 7.9	mg/Kg	A	
4-Methyl-2-pentanone (MIBK)	< 79.0	mg/Kg	N		Toluene	< 7.9	mg/Kg	A	
trans-1,3-Dichloropropene	< 7.9	mg/Kg	A		1,1,2-Trichloroethane	< 7.9	mg/Kg	A	
Tetrachloroethene	< 7.9	mg/Kg	A		1,3-Dichloropropane	< 7.9	mg/Kg	N	
2-Hexanone	< 79.0	mg/Kg	N		Dibromochloromethane	< 7.9	mg/Kg	A	
1,2-Dibromoethane	< 15.8	mg/Kg	N		Chlorobenzene	< 7.9	mg/Kg	A	
Ethylbenzene	< 7.9	mg/Kg	A		1,1,1,2-Tetrachloroethane	< 15.8	mg/Kg	N	
Xylenes, Total	< 15.8	mg/Kg	A		Styrene	< 7.9	mg/Kg	N	
Bromoform	< 15.8	mg/Kg	A		Isopropylbenzene	< 7.9	mg/Kg	A	
1,1,2,2-Tetrachloroethane	< 15.8	mg/Kg	A		Bromobenzene	< 7.9	mg/Kg	N	
n-Propylbenzene	< 15.8	mg/Kg	A		1,2,3-Trichloropropane	< 15.8	mg/Kg	N	
2-Chlorotoluene	< 15.8	mg/Kg	N		1,3,5-Trimethylbenzene	< 15.8	mg/Kg	A	
4-Chlorotoluene	< 15.8	mg/Kg	N		t-Butylbenzene	< 15.8	mg/Kg	A	
1,2,4-Trimethylbenzene	< 15.8	mg/Kg	A		s-Butylbenzene	< 15.8	mg/Kg	A	
4-Isopropyltoluene	< 15.8	mg/Kg	A		1,3-Dichlorobenzene	< 15.8	mg/Kg	A	
1,4-Dichlorobenzene	< 15.8	mg/Kg	A		1,2,3-Trimethylbenzene	< 15.8	mg/Kg	N	
n-Butylbenzene	< 15.8	mg/Kg	A		1,2-Dichlorobenzene	< 15.8	mg/Kg	A	
1,2-Dibromo-3-Chloropropane	< 15.8	mg/Kg	N		1,2,4-Trichlorobenzene	< 15.8	mg/Kg	N	
1,3,5-Trichlorobenzene	< 15.8	mg/Kg	N		Hexachlorobutadiene	< 15.8	mg/Kg	N	
Naphthalene	< 15.8	mg/Kg	A		1,2,3-Trichlorobenzene	< 15.8	mg/Kg	N	
Surr. 1 (Dibromofluoromethane)	97	%	U		Surr. 2 (Toluene d8)	99	%	U	
Surr. 3 (4-Bromofluorobenzene)	100	%	U		Unidentified Peaks	2		U	

X Matt 1501 LAMOTHE  
ENDYNE

Rod Lamothe - Endyne Corp -

Eleven Water based samples enclosed for total VOCs as discussed please EPA 8260

- 1. Matt wh
- 2. Soft sheen wh
- 3. Satin paint wh
- 4. Satin varnish
- 5. Stainblock
- 6. Mdf passivator
- 7. EMR paint
- 8. wood glue
- 9. undercoat wh
- 10. eggshell wh
- 11. fengshui wh

1802-04329



1802-04329

Lakeland Paints  
11 Paint Samples

ian west. manager

Lakeland Paints email sales@lakelandpaints.co.uk

[www.lakelandpaints.co.uk](http://www.lakelandpaints.co.uk)

0044 1524 852371

Lakeland paints, Unit 19

Heysham Business park,

Heysham, Lancs. UK. LA3 3PP

Rec'd Eileen Joomey  
Date/time 2/27/18 @ 14:30  
Temp 18.7°C  
Delivered by: Fedex

Subject **Re: paint VOC analysis**  
From <sales@lakelandpaints.co.uk>  
To Rod Lamothe <rlamothe@endynelabs.com>  
Date 2018-02-14 17:51



hi - that all sounds good & just what we need.

(the previous result was ppb not ppm as I had said)

bank transfer is what we call BACS - ie we can wire over the payment  
if you let us have your bank details?

we deal in this way with our US colleagues all the time

(we are unable to issue a dollars check)  
though credit card is a possibility

pls let me know.  
thanks. ian. west

Lakeland Paints UK

On 2018-02-14 17:41, Rod Lamothe wrote:

Dear Sir/Madam

The methodology has been update. EPA 8240 was originally GCMS methodology using packed column chromatography. The update is EPA 8260 which is capillary column GCMS. The list of components has also been expanded a little. We don't heat the sample. Most likely we will dilute it with methanol then purge the sample with helium and trap on a column. This column holding the VOC's is heated desorb and purge them onto the GC. Here again the GC column has a temperature profile which helps separate the constituents. Hope that answers your question. I have copied one of our organic chemist Ernie Pierce and if you have more technical questions he can definitely help you with them.

Regarding payment. I don't know what BACS means. Then again you call the hood, a bonnet and the trunk, a boot; although we both speak English something can be lost in translation. We take credit cards, or checks. Maybe someone from your Spartanburg facility can arrange payment. They can contact me at 802-879-4333 ext 311. Thanks so much and I hope we can work with you on this project.

Regards  
Rod Lamothe  
Endyne Inc.

-----Original Message-----

From: [sales@lakelandpaints.co.uk](mailto:sales@lakelandpaints.co.uk) [mailto:[sales@lakelandpaints.co.uk](mailto:sales@lakelandpaints.co.uk)]  
Sent: Wednesday, February 14, 2018 11:52 AM  
To: Rod Lamothe  
Subject: Re: paint VOC analysis

Rod - that's great -

I will get the samples sorted, probably 11.  
are you able to use this same methodology or have things moved on - in what way?

we dont want to use heating of the samples, we want a true natural VOC reading if at all possible, like real life situations.

how do you like to be paid, BACS?  
if so, can you let me have the bank details pls?

if you send an invoice for 11 samples we will remit.

many thanks. ian west. Lakeland Paints UK.  
[www.lakelandpaints.co.uk](http://www.lakelandpaints.co.uk)

Address  
Lakeland Paints  
Unit 19, Heysham Business Park

Middleton Road  
Heysham  
Lancashire  
LA3 3PP  
United Kingdom

On 2018-02-14 15:42, Rod Lamothe wrote:

Yes, We can still do this test for you. Our fee would be \$180.00. We will need approximately 40 mls of sample.

Our turnaround time is currently a little less than 10 working days.

Regards

Rod Lamothe

Endyne Inc.

-----Original Message-----

From: [sales@lakelandpaints.co.uk](mailto:sales@lakelandpaints.co.uk) [mailto:[sales@lakelandpaints.co.uk](mailto:sales@lakelandpaints.co.uk)]

Sent: Wednesday, February 14, 2018 2:12 AM

To: [lab@endynelabs.com](mailto:lab@endynelabs.com)

Subject: paint VOC analysis

hi back in 1991 you carried out total VOC analysis for us on our "voc-free"

paints - see attached GC results (Ecos)

(only found 44ppm VOC)

are you still able to offer this service and if so, what would be the cost per sample?

we have a facility near you in Spartanburg SC Ecos USA (Imperial Paints group), but we would send from the UK

many thanks. ian west. Tech. Manager

[www.lakelandpaints.co.uk](http://www.lakelandpaints.co.uk) (formerly Ecos)




The item/parcel may be opened officially

DISPATCH NOTE

CP71

De From	Nombre Name	IAN WEST
	Empresa Business	
	Calle Street	PATIO ALCORNOCAL H1 PARAISO MEDIO
	C.P. Postcode	29688 Ciudad City MALAGA
	País Country	ESPAÑA / SPAIN

EJ378912391ES



Para To	Nombre Name	ROD LAMOTHE ENDYNE LABORATORIES
	Empresa Business	
	Calle Street	160 JAMES BROWN DR F WILLISTON
	C.P. Postcode	05495 Ciudad City VERMONT
	País Country	UNITED STATES OF AMERICA (US)

Valor declarado  
Insured value 50,00 €Importe del reembolso  
Cash-on-delivery amountCuenta corriente postal nº, centro de cheques  
Giro account No. and Giro centreReferencia del importador (código fiscal/nº de IVA)  
Importer's reference (tax code/VAT)Nº de teléfono/e-mail del importador 18028794333  
Importer's telephone/e-mail

Oficina de cambio Office of exchange	Sello de la aduana Customs stamp
---	-------------------------------------

Por favor, indique el tipo de envío (marque la casilla) Please indicate service required (tick one box)	Derechos de la aduana Customs duty
<input type="checkbox"/> Internacional <input type="checkbox"/> Internacional Priority <input type="checkbox"/> Internacional Economy	

Referencia aduanera del expedidor  
Sender's Customs reference

Declaración del destinatario Declaration by addressee	Recibí la encomienda descrita en este boletín I have received the parcel described on this note	Instrucciones del expedidor en caso de no entrega Sender's instructions in case of non-delivery
--	--	--

Oficina de Origen/Fecha de depósito  
Office of origin/Date of posting

2928994 - 23/02/2018 10:52:00

Nº Number of  
Encomiendas Parcels  
Certificados y facturas Certificates andValor declarado en DEG  
Insured value SDRPeso bruto total de la(s) encomienda(s)  
Total gross weight of the parcel(s)

1,242 Kg Tasas Charges

(Colocar las etiquetas oficiales, dado el caso) (Please affix official labels here, when required)	
---	--

Declaración del destinatario Declaration by addressee
--

Recibí la encomienda descrita en este boletín I have received the parcel described on this note
Fecha y firma del destinatario Date and addressee's signature

Instrucciones del expedidor en caso de no entrega Sender's instructions in case of non-delivery
--

Certifico que la información dada en la presente declaración de aduana es exacta y este envío no contiene ningún objeto peligroso o prohibido por la legislación o por la reglamentación postal o aduanera, I certify that the particulars given in this customs declaration are correct and that this item does not contain any dangerous article or articles prohibited by legislation or by postal or customs regulations.	Fecha y firma del remitente Date and sender's signature
--	--

<input checked="" type="checkbox"/> Devolver al remitente Return to sender
<input type="checkbox"/> Tratar como abandonado Treat as abandoned




The item/parcel may be opened officially

CUSTOMS DECLARATIONS

CN 23

De From	Nombre Name	IAN WEST
	Empresa Business	
	Calle Street	PATIO ALCORNOCAL H1 PARAISO MEDIO
	C.P. Postcode	29688 Ciudad City MALAGA
	País Country	ESPAÑA / SPAIN

EJ378912391ES



Para To	Nombre Name	ROD LAMOTHE ENDYNE LABORATORIES
	Empresa Business	
	Calle Street	160 JAMES BROWN DR F WILLISTON
	C.P. Postcode	05495 Ciudad City VERMONT
	País Country	UNITED STATES OF AMERICA (US)

Referencia del importador (código fiscal/nº de IVA)  
Importer's reference (tax code/ VAT)Nº de teléfono/fax/e-mail del importador 18028794333  
Importer's telephone/fax/e-mailReferencia aduanera del expedidor  
Sender's Customs reference

Descripción detallada del contenido Detailed description of contents	Cantida Quantity	Peso neto Net weight	Valor (€) Value	Nº tarifario del SA HS tariff number	País de origen de las Country of origin of goods
SUPPLIES MEDICAL / ARTICULOS MÉDICOS	11	1,245	50,00		

Peso bruto Total gross weight	1,242 Kg	Valor Total Total value	50,00	Gastos de porte/Gastos Postal charges/Fees	73,54 €
----------------------------------	----------	----------------------------	-------	---	---------

Tipo de envío Category of item	Muestra Comercial	Oficina de origen/Fecha de depósito Office of origin/Date of posting	2928994 - 23/02/2018 10:52:00
-----------------------------------	-------------------	---	-------------------------------

Observaciones: (p. ej. mercancía sujeta a cuarentena/ a controles sanitarios, fitosanitarios o a otras  
Comments: (e.g.: goods subject to quarantine, sanitary/phytosanitary inspection or other restrictions)Certifico que la información dada en la presente declaración de aduana es exacta y que este envío no contiene ningún objeto peligroso o prohibido por la legislación o por la reglamentación postal o aduanera, y todo ello conforme con lo estipulado en el contrato suscrito.  
I certify that the particulars given in this customs declaration are correct and that this item does not contain any dangerous article or articles prohibited by legislation or by postal or customs regulations, in accordance with the terms of the contract signed.

<input type="checkbox"/> Licencia / Licence	<input type="checkbox"/> Certificado / Certificate	<input type="checkbox"/> Factura / Invoice
---	--	--

Fecha y firma del remitente  
Date and sender's signature

Nº	Nº	Nº
----	----	----



**TOXIC SUBSTANCE CONTROL ACT DECLARATION**  
**IMPORTER DECLARATION**

I certify that all chemicals in this shipment are not subject to TSCA

Consignment ref

Shippers Name      Technical Specialities ltd  
                                 Unit 19 heysham business park, heysham, Lancs, UK

Shippers Title      LA3 3PP

Shippers Signature.....

**Water-based pigment pastes, solutions & colloids.**  
**Non-flammable, Non-hazardous, Non-solvent.**  
**Restrictions on Air-Transportation – NONE**  
**0044 1524 852371**

**MATERIAL SAFETY DATA SHEET – TECHNICAL SPECIALITIES LTD**

Date 13.7.11

(1) DESCRIPTION

water-based pigment pastes solutions & colloids.  
Non-flammable, non-hazardous, solvent-free.

<u>Company</u>	Technical Specialities Ltd t/a ECOS Ltd
<u>Tel.</u>	01524 852371
<u>Fax</u>	01524 858978
<u>Emergency</u>	01524 852371

(2) COMPOSITION/INFORMATION ON INGREDIENTS.

Chemical nature - Water based pigment pastes solutions & colloids

Ingredients – can include some or all of the following:

Water, acrylic dispersion, vinyl acetate dispersions, titanium dioxide, pigments (various), thickeners – cellulosic and polymeric, barytes, limestone, clay, synthetic wax, dispersing aids (various).

Hazardous components - none

VOC's/Solvents - none

(3) HAZARDS IDENTIFICATION

Critical hazards to man and the environment - none

(4) FIRST AID MEASURES

Eye contact	:May cause temporary irritation. Irrigate with water for 15 minutes holding eyelid open. Seek medical attention if irritation persists.
Skin contact	:Prolonged contact may cause irritation. Remove contaminated clothing. Wash thoroughly with soap and water.
Inhalation of vapour	: no hazard.

(5) FIRE FIGHTING MEASURES

Hazards during fire-fighting :product is water based and not combustible.

(6) ACCIDENTAL RELEASE MEASURES

Personal protection	:Refer to Section 8
Environmental precautions	:Prevent product entering soil, natural waters and drains.
Methods for cleaning and taking up	:Large spillages should be contained and pumped into a receiving vessel

**M.S.D.S. – technical specialities ltd**

Small spillages should be absorbed on inert absorbent.  
For disposal methods refer to Section 13

(7) HANDLING AND STORAGE

Handling	:No special precautions necessary. Observe good Housekeeping practice.
----------	--

Storage	Store between +5°C and 20°C protected from frost and direct sunlight. Do not use storage vessels or pipework made of aluminium, copper or their alloys. Detailed advice on storage systems can be provided.
---------	--

(8) EXPOSURE CONTROLS/ PERSONAL PROTECTION

Workplace parameters: - none

Personal protective equipment

Respiratory protection	:if spraying product without local exhaust ventilation, wear a normal dust mask.
Hand protection	:none
Eye protection	:advisory

Skin protection :in case of severe splashing wear waterproof overalls and boots. Wash  
with soap and water after handling.  
Hygiene measures :none.

(9) PHYSICAL AND CHEMICAL PROPERTIES

Physical form : liquid – paste  
Colour : Variable  
Odour : faint – none  
Flash point : not applicable  
Vapour pressure :23hPa @ 20°C  
Relative density :1.0 – 1.4  
Solubility in water :insoluble but miscible in all proportion  
PH :8 – 11  
Viscosity :Variable  
Flammability : non-flammable.

M.S.D.S. technical specialities ltd

(10) STABILITY AND REACTIVITY

The product is stable under recommended storage conditions – see Section 7

Incompatible materials : none

(11) TOXICOLOGICAL INFORMATION

Long term experience of this product type indicates no danger to health when properly handled under normal conditions.

(12) ECOLOGICAL INFORMATION

Degradation/elimination :The product can be virtually eliminated from water by  
abiotic processes, e.g. adsorption onto activated sludge.  
Bioaccumulation : no evidence for bioaccumulation.  
Ecotoxic effects :no long term effects expected.

(13) DISPOSAL CONSIDERATIONS

Waste product should not be discharged directly into drains or waterways without treatment. Disposal of product and packaging should always comply with local and national regulations. Waste water containing product should be treated in a separation and biological treatment plant.

EU Waste code number. No waste Code Number available.  
(14) TRANSPORT INFORMATION

The product is not classified as Dangerous for Carriage,  
Flammability – Non-flammable

(15) REGULATORY INFORMATION

labelling according to EU directive 88/379/EC

Symbol Not subject to labelling.

National regulations. None

(16) OTHER INFORMATION

References: Not available.

Other Special Considerations: None